

STAINLESS STEEL LIFT CHECK VALVE

SS304 F5S63L-50
SS316 F5S63L-51



FEATURES & SPECIFICATIONS

- Swing disc
- Integral seat
- Threaded cap
- Threaded to BS 21 (ISO7) / ANSI B2.1 / DIN 259 / DIN 2999
- Applicable for Building Services, Air-Conditioning, Fire-Protection, Cold Water Plumbing, Hot Water System, General Industries




PRESSURE & TEMPERATURE RATINGS

Working Pressure	1000psi WOG Non-Shock
Shell Testing Pressure	x1.5 times
Seat Testing Pressure	x1.1 times
Working Temperature	-25°C ... 180°C
Suitable Media	Water, Oil & Gas

MATERIAL SPECIFICATIONS

Part	Material	Specification
Body	Stainless Steel 304	EN 10088-3 1.4301
	Stainless Steel 316	EN 10088-3 1.4401
Cover	Stainless Steel 304	EN 10088-3 1.4301
	Stainless Steel 316	EN 10088-3 1.4401
Plug	Stainless Steel 304	EN 10088-3 1.4301
	Stainless Steel 316	EN 10088-3 1.4401
Washer	PTFE	
Spring	Stainless Steel 304	EN 10088-3 1.4301
	Stainless Steel 316	EN 10088-3 1.4401



DIMENSIONS

DN (mm)	8	10	15	20	25	32	40	50	65	80	100	(mm)
DN (inch)	¼	⅜	½	¾	1	1¼	1½	2	2½	3	4	
L	32	32	39	44	50	60	72	84	104	122	152	
H	53	53	56	63	74	81	91	97	118	138	158	

Fivalco® is Registered Trade Mark
FIVALCO LIMITED
info@fivalco.com | www.fivalco.com

Exclusive Distributor :
ENVALCO SDN. BHD. (1039097-M)
No. 30, Jalan PJU 3/46, Sunway Damansara Technology Park, 47810 Petaling Jaya, Selangor Darul Ehsan, Malaysia
T: 603 - 7883 0018 | F: 603 - 7883 0012 | E: enquiry@envalco.com.my | W: www.envalco.com.my

Fivalco reserves the right to alter the information in this document without prior notice. Fivalco shall not be liable for technical errors or omissions contained herein.